



80° Beam Angle
Higher centre lux

[TROFFER]

LED Batten

[Troffer]

is an excellent replacement of traditional CFL T8 fitting. Perfect size and structure, tailor-made with different installation options. 100% fits all retail shops and commercial office application!

- ◆ High Brightness with 100lm/W for complete luminaire
- ◆ Exact 30 x 120cm Troffer replacement with 80° narrow lighting beam angle
- ◆ Changeable LED modules with DC flex and plug
- ◆ SELV LED module and isolated LED driver
- ◆ 5 year warranty / 50,000 hours lifetime
(Driver option: **LUMAN** / **TRIDONIC** / **PHILIPS** / **MW MEAN WELL** , and many more...)
- ◆ (LED option: **LUMAN** / **EPISTAR** / **SEOUL** / **LG** , and many more...)
- ◆ 50,000 hours lifetime, 5 years warranty
- ◆ Certified Pre-wired with flex and Plug for quick installation



[TROFFER]

LED Batten



Perfect Replacement for Traditional T8 Batten


- ◆ Same appearance
- ◆ Single unit retrofit with external driver
- ◆ Energy saving up to 70%

Dimensional Drawing

L	1195
W	295
H	52

*Unit = mm

*Cut Hole size can be +/- 5mm



Environmental Properties

Operating Temperature	-10°C ~ +40°C
Storage Temperature	-40°C ~ +60°C
Life time	50,000 hours

Mechanical Properties

Body	Aluminum
Base	AC Connection
Weight	1.0kg

[TROFFER]

LED Batten

Technical Operation Data


	LM-TRW30-AN0W	LM-TRD30-AN0W
LUMINOUS FLUX	2800lm	3000lm
COLOR	Warm White	Day white
CCT	3000K	4000K
CRI	>83	>83
LUX @ 1m	1800lx	2000lx
VOLTAGE(AC)	220-240V 50/60Hz	220-240V 50/60Hz

	LM-TRC30-AN0W
LUMINOUS FLUX	3000lm
COLOR	Cool white
CCT	5500K
CRI	>83
LUX @ 1m	2000lx
VOLTAGE(AC)	220-240V 50/60Hz

Remark:

Please contact us for other specification information.

• POWER:30W, 4000K



TARGET REPLACEMENT :
CFL T8 36W x 2 Troffer

